


01	47 500	04	10 2N4352
05	100K	14	1-11
06	100K	15	10 2N4352
07	10K	16	10 2N4352
08	10K	17	10 2N4352
09	10K	18	10 2N4352
10	10K	19	10 2N4352
11	10K	20	10 2N4352
12	10K	21	10 2N4352
13	10K	22	10 2N4352
14	10K	23	10 2N4352
15	10K	24	10 2N4352
16	10K	25	10 2N4352
17	10K	26	10 2N4352
18	10K	27	10 2N4352
19	10K	28	10 2N4352
20	10K	29	10 2N4352
21	10K	30	10 2N4352
22	10K	31	10 2N4352
23	10K	32	10 2N4352
24	10K	33	10 2N4352
25	10K	34	10 2N4352
26	10K	35	10 2N4352
27	10K	36	10 2N4352
28	10K	37	10 2N4352
29	10K	38	10 2N4352
30	10K	39	10 2N4352
31	10K	40	10 2N4352
32	10K	41	10 2N4352
33	10K	42	10 2N4352
34	10K	43	10 2N4352
35	10K	44	10 2N4352
36	10K	45	10 2N4352
37	10K	46	10 2N4352
38	10K	47	10 2N4352
39	10K	48	10 2N4352
40	10K	49	10 2N4352
41	10K	50	10 2N4352
42	10K	51	10 2N4352
43	10K	52	10 2N4352
44	10K	53	10 2N4352
45	10K	54	10 2N4352
46	10K	55	10 2N4352
47	10K	56	10 2N4352
48	10K	57	10 2N4352
49	10K	58	10 2N4352
50	10K	59	10 2N4352
51	10K	60	10 2N4352
52	10K	61	10 2N4352
53	10K	62	10 2N4352
54	10K	63	10 2N4352
55	10K	64	10 2N4352
56	10K	65	10 2N4352
57	10K	66	10 2N4352
58	10K	67	10 2N4352
59	10K	68	10 2N4352
60	10K	69	10 2N4352
61	10K	70	10 2N4352
62	10K	71	10 2N4352
63	10K	72	10 2N4352
64	10K	73	10 2N4352
65	10K	74	10 2N4352
66	10K	75	10 2N4352
67	10K	76	10 2N4352
68	10K	77	10 2N4352
69	10K	78	10 2N4352
70	10K	79	10 2N4352
71	10K	80	10 2N4352
72	10K	81	10 2N4352
73	10K	82	10 2N4352
74	10K	83	10 2N4352
75	10K	84	10 2N4352
76	10K	85	10 2N4352
77	10K	86	10 2N4352
78	10K	87	10 2N4352
79	10K	88	10 2N4352
80	10K	89	10 2N4352
81	10K	90	10 2N4352
82	10K	91	10 2N4352
83	10K	92	10 2N4352
84	10K	93	10 2N4352
85	10K	94	10 2N4352
86	10K	95	10 2N4352
87	10K	96	10 2N4352
88	10K	97	10 2N4352
89	10K	98	10 2N4352
90	10K	99	10 2N4352
91	10K	100	10 2N4352

TOLERANCES UNLESS SHOWN			
BUCHLA ASSOC.			
DESIGN	SCALE	DRAWN BY	
1	1/8" = 1"	DB	
PROJ. NO.	TITLE		
2	SCHEMATIC: 277 DELAY		
REVISED	DATE	DRAWING NUMBER	
3	1/10/70	82770	




DATE	REVISION NUMBER	DATE	BY

IC1 1N4007
 IC2 1N4007
 IC3 1N4007
 IC4 1N4007
 IC5 1N4007
 IC6 1N4007
 IC7 1N4007
 IC8 1N4007
 IC9 1N4007
 IC10 1N4007
 IC11 1N4007
 IC12 1N4007
 IC13 1N4007
 IC14 1N4007
 IC15 1N4007
 IC16 1N4007
 IC17 1N4007

R1 10K
 R2 10K
 R3 10K
 R4 10K
 R5 10K
 R6 10K
 R7 10K
 R8 10K
 R9 10K
 R10 10K

- IC1 1N4007
- IC2 1N4007
- IC3 1N4007
- IC4 1N4007
- IC5 1N4007
- IC6 1N4007
- IC7 1N4007
- IC8 1N4007
- IC9 1N4007
- IC10 1N4007
- IC11 1N4007
- IC12 1N4007
- IC13 1N4007
- IC14 1N4007
- IC15 1N4007
- IC16 1N4007
- IC17 1N4007

TOLERANCES UNLESS OTHERWISE SPECIFIED			
BICKLE ASSOC.			
GENERAL	± 0.005	HOLE	± 0.1
±	± 0.005	± 0.1	± 0.1
±	LAYOUTS PER 277 DELAY		
±	DATE	DRAWING NUMBER	
±	12/1/72	12971-1	



DATE	REVISION	BY	CHK

TO OFFICE BOARD

GRN/W
 GRN/W
 GRN/W
 GRN
 BLU
 VC
 GRAY

10 ROOMS

GRN/W
 GRN
 GRAY
 WHITE

ICI 110021
 ICI-99 1400

- NOTES: 1) DASHED INDICATION OF ORIENTATION OF EACH ROW OF ROOMS
 2) DASHED AND ON EVERY 4TH ROOMS, BACK THROUGH BOARD, DRAWING A "STEP" NUMBER ON EACH SIDE OF BOARD - BE SURE THE NUMBER DOES NOT POINT TO STEEL CHANNELS
 3) IF, IN FUTURE ROOMS ARE NOT HARDED, REARRANGE WITH SHIP TOWARD

TOLERANCES (UNLESS AS NOTED)				BUCHLA ASSOCIATES			
GENERAL	±	±	±	±	±	±	±
FRONTAL	±	±	±	±	±	±	±
ANGLER	±	±	±	±	±	±	±
DATE	9/27/70	DESIGN NUMBER	B2771-2				